

HD-TVI SS316 Dome Camera CC06-TD12VF-X



Features

- Full HD Resolution – 1080P
- 2.8~12mm Megapixel Lens
- AISI 316 Stainless Steel Housing
- True Day/Night with ICR Mechanism
- HD-TVI or Analog Output Selectable
- Corrosion / Bacteria Resistant
- XDR – eXtreme Dynamic Range
- IP68 Waterproof / Dustproof

Specifications	CC06-TD12VF-X
Image Sensor	1/2.8" SONY IMX322 CMOS Sensor
Resolution	1080P
Lens	2.8~12mm DC Auto Iris Megapixel Lens
Scanning System	Progressive
S/N Ratio	More than 50dB (AGC Off)
Video Output	HD-TVI (1080P) or Analog (CVBS 960H) Manually Selectable
Sensitivity	Color: 1.0 lux, B/W: 0.5 lux, IR On: 0 lux
LED's	24 Piece IR LED Array
XDR	Auto / Manual 0~10
DNR	Off / Low / Middle / High
Backlight Compensation	Off / BLC / HLI / D-WDR / XDR
DNR	Off / Low / Middle / High
Privacy Masking	4 Zones
Motion Detection	Off / On (4 Areas)
Housing	AISI SS316 / IP68
Bracket	Included
Power	12V DC / Max 3.0W with IR On
Operating Humidity	10% ~ 85%
Dimensions	118mm x 90mm / 4.65" x 3.54" (W x H)
Operating Temperature	14°~122° F (-10°~50° C)
Weight	1310g / 2.03 Lbs.